

# Safety data sheet

Page: 1/12

BASF Safety data sheet Date / Revised: 25.03.2024 Product: **Seclira WSG Insecticide** 

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

### 1. Substance/preparation and manufacturer/supplier identification

## Product name: Seclira WSG Insecticide

Use: crop protection product, insecticide

Manufacturer/supplier: BASF Philippines, Inc. Upper Penthouse CTP ASEAN Tower Asean Drive, Spectrum District Filinvest Corporate City, Alabang, Muntinlupa City, 1781, Metro Manila PHILIPPINES Telephone: +63 2 8811-8000 E-mail address: psr.ph@basf.com

Emergency information: National emergency number: +63 2 8831 5576 International emergency number: Telephone: +49 180 2273-112

### 2. Hazard identification

Classification of the substance and mixture: Hazardous to the aquatic environment - acute: Cat.1 Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:

Page: 2/12

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024



Signal Word: Warning

Hazard Statement: H400 H410	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.		
Precautionary Stateme	nt:		
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
P103	Read carefully and follow all instructions.		
Precautionary Statements (Response):			
P391	Collect spillage.		
Precautionary Statements (Disposal):			
P501	Dispose of contents and container to hazardous or special waste collection point.		
	o not result in classification:		
See section 12 - Results of PBT and vPvB assessment.			

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### 3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, insecticide

### Hazardous ingredients

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Content (W/W): 40 % Acute Tox.: Cat. 5 (Inhalation - dust) CAS Number: 165252-70-0 Acute Tox.: Cat. 4 (oral) Acute Tox.: Cat. 5 (dermal) Skin Irrit.: Cat. 3 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 10 M-factor chronic: 10

Urea

Page: 3/12

BASF Safety data sheet Date / Revised: 25.03.2024 Product: **Seclira WSG Insecticide** 

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

Content (W/W): < 50 % CAS Number: 57-13-6 Aquatic Acute: Cat. 2

### 4. First-Aid Measures

General advice: Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air.

On skin contact: Wash thoroughly with soap and water

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion: Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far Treatment: Symptomatic treatment (decontamination, vital functions).

### 5. Fire-Fighting Measures

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

Specific hazards:

carbon monoxide, carbon dioxide, nitrogen oxides, acid halides The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

Page: 4/12

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

### 6. Accidental Release Measures

#### Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.

Environmental precautions:

Do not discharge into the subsoil/soil.Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up: For small amounts: Contain with dust binding material and dispose of. For large amounts: Sweep/shovel up. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and

detergents, observing environmental regulations. Avoid raising dust.

### 7. Handling and Storage

#### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

#### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Protect against moisture.

Storage stability: Storage duration: 36 Months

### 8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Page: 5/12

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

### 9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	solid white odourless not applicable, odour not perceivable
pH value:	approx. 5 - 8
melting range: Boiling point:	78 - 109 °C
Bolling point.	The product has not been tested.
Flash point: Evaporation rate:	not applicable, the product is a solid not applicable
Flammability (solid/gas) Lower explosion limit: Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. As a result of our experience with this product and our knowledge of its
	composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Page: 6/12

BASF Safety data sheet Date / Revised: 25.03.2024 Product: **Seclira WSG Insecticide** 

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.		
Self ignition:	not self-igniting	Test type: Spontaneous self- ignition at room-temperature.	
Self heating ability:	It is not a substance capable of spontaneous heating.		
Explosion hazard: Fire promoting properties			
Vapour pressure:	not applicable		
Bulk density: Relative vapour density (	approx. 0.51 g/ml (air): not applicable		
Solubility in water: dispersible Partitioning coefficient n-octanol/water (log Pow): The statements are based on the properties of the individual components. Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Partitioning coefficient n-octanol/water (log Pow): -0.549 (25 °C)			
 Viscosity, dynamic:	(20 0) 		

not applicable, the product is a solid

### 10. Stability and Reactivity

Conditions to avoid: See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid: strong oxidizing agents, strong acids, strong bases

Hazardous reactions: No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability: The product is stable if stored and handled as prescribed/indicated.

Reactivity:

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

No hazardous reactions if stored and handled as prescribed/indicated.

### **11. Toxicological Information**

#### **Routes of exposure**

#### Acute oral toxicity

Experimental/calculated data: LD50rat (oral): > 5,000 mg/kg

#### Acute inhalation toxicity

LC50 rat (by inhalation): > 5.09 mg/l 4 h No mortality was observed.

#### Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg

#### Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

#### Irritation

Assessment of irritating effects: Not irritating to eyes and skin.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

#### **Respiratory/Skin sensitization**

Assessment of sensitization: No sensitizing effect.

Experimental/calculated data: Buehler test guinea pig: Non-sensitizing.

#### Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

### Carcinogenicity

Assessment of carcinogenicity:

Page: 8/12

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Reproductive toxicity**

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Developmental toxicity**

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

### Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organtoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

### Aspiration hazard

not applicable

### Other relevant toxicity information

Misuse can be harmful to health.

### **12. Ecological Information**

### Ecotoxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Toxicity to fish: LC50 (96 h) > 100 mg/l, Cyprinus carpio

Page: 9/12

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Aquatic invertebrates: EC50 (48 h) > 1,000 mg/l, Daphnia magna

EC50 (96 h) 0.79 mg/l, Mysidopsis bahia

LC50 (48 h) 0.0721 mg/l, Chironomus riparius

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Aquatic plants: EC50 (72 h) 97.6 mg/l (biomass), Pseudokirchneriella subcapitata

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Chronic toxicity to aquatic invertebrates: No observed effect concentration, 0.089 mg/l, Mysidopsis bahia

No observed effect concentration (27 d), 0.003 mg/l, Chironomus riparius

### Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Assessment transport between environmental compartments: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

-----

### Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

\_\_\_\_\_

### **Bioaccumulation potential**

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Page: 10/12

BASF Safety data sheet Date / Revised: 25.03.2024 Product: **Seclira WSG Insecticide** 

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

-----

#### Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

### **13. Disposal Considerations**

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

### 14. Transport Information

Domestic transport: UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DINOTEFURAN) 9, EHSM III yes
Special precautions for user:	None known
<b>Sea transport</b> IMDG	
UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DINOTEFURAN) 9, EHSM III yes Marine pollutant: YES EmS: F-A; S-F
Air transport IATA/ICAO	
UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DINOTEFURAN) 9, EHSM III yes None known

Page: 11/12

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

user:

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

### **15. Regulatory Information**

#### Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

1. Joint DTI-DENR-DA-DOF-DOH-DILG-DOLE-DOTC Administrative Order No. 01 Series of 2009 on "The Adoption and Implementation of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)"

2. DAO 2015-09 "Rules and Procedures for the Implementation of the Globally Harmonized System (GHS) of Classification and Labelling of Chemicals in Prepration of Safety Data Sheet (SDS) and Labelling Requirements of Toxic Chemical Substances"

3. Republic Act No. 6969, "Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990"

The regulatory information is not intended to be comprehensive. Other regulations may apply to the material

#### **Registration status:**

PICCS, PH

Listed in PICCS.

### **16. Other Information**

Vertical lines in the left hand margin indicate an amendment from the previous version.

Page: 12/12

BASF Safety data sheet Date / Revised: 25.03.2024 Product: **Seclira WSG Insecticide** 

Version: 3.0

(30676473/SDS\_CPA\_PH/EN) Date of print: 29.04.2024

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.